

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/749,451	12/31/2003	Michael D. Grah	D-43584-01	9833
759	90 12/14/2006		EXAMINER	
Sealed Air Corporation			BUTLER, PATRICK	
P.O. Box 464 Duncan, SC 29	9334		ART UNIT	PAPER NUMBER
			1732 DATE MAILED: 12/14/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

/
Ŀ
D

	Application No.	Applicant(s)				
	10/749,451	GRAH, MICHAEL D.				
Office Action Summary	Examiner	Art Unit				
	Patrick Butler	1732				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period was preply reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
<ol> <li>Responsive to communication(s) filed on 16 October 2a) This action is FINAL.</li> <li>Since this application is in condition for alloware closed in accordance with the practice under Exercise.</li> </ol>	action is non-final. nce except for formal matters, pro					
Disposition of Claims						
<ul> <li>4)  Claim(s) 1-32 and 34-59 is/are pending in the application.</li> <li>4a) Of the above claim(s) 17,25,26,35 and 39-59 is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-16,18-24,27-32,34 and 36-38 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)	_					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 20061002&20061016.  S Patent and Trademark Office.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

### **DETAILED ACTION**

### Response to Amendment

The Applicant's Remarks, filed 02 October 2006, have been entered and have been carefully considered. No Claims are new, amended, or canceled, and Claims 1-16, 18-24, 27-32, and 34 are pending.

In view of Applicant's Terminal Disclaimer of 11/142,044, the Examiner withdraws the previously set forth Double Patenting rejection as detailed in the Double Patenting section of the Office Action dated 18 May 2006. The Examiner acknowledges that the referenced Application was intended to be 11/142,044.

Despite these advances, the invention as currently claimed is not found to be patentable for reasons herein below.

### Inventorship

In view of the papers filed 02 October 2006, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48(a). Adding Marvin R. Havens has changed the inventorship of this application.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

#### Terminal Disclaimer

Art Unit: 1732

The terminal disclaimer filed on 13 March 2006 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of any patent granted on Application Number 11/142,044 has been reviewed and is accepted. The terminal disclaimer has been recorded.

#### Information Disclosure Statement

The information disclosure statement filed 02 October 2006 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered. Specifically, pages 39-45 of "Calculation of the electronic structure of carbon films using electron energy loss spectroscopy" have not been provided although they remain part of the cited "pertinent papers" on the IDS.

### **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to

Art Unit: 1732

be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 1 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 14 of copending Application No. 11/208,464. Although the conflicting claims are not identical, they are not patentably distinct from each other because they both claim a method of providing a film with carbon nanotubes and polyester (thermoplastic polymer) and exposing the film to radiation energy. Copending claims 7 and 9 provide the radiation necessary (500 mW/cm2 and 10 kGy) necessary to structurally disrupt the carbon nanotubes.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-16, 18-24, 27-32, and 36 are rejected under 35 U.S.C. 102(e) as being anticipated by Grah et al (2004/0241482).

Art Unit: 1732

The applied reference has a common inventor with the instant application.

Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

With respect to Claims 1-5, Grah discloses using various thermoplastics with SWCNM [0011]. Multiple shrink characteristics are taught with respect to shrinkage percentage and pressure [0111,0113]. Radiation is taught, which would induce the shrinkage [0138].

With respect to Claims 6 and 7, irradiation is taught, which would limit shrinkage ability [0114].

With respect to Claims 8-12 and 20-23, irradiation is taught [0138] with given amounts, which would necessarily be a function of various quantities based on intensity and duration, as samples are given [0140].

With respect to Claims 13-16, the content of SWCNT in each layer and the polymer content of ethylene (polyolefin) and vinyl acetate (vinyl plastic) are taught polymers to use [0011, 0029].

With respect to Claim 18, an example of three layers is given [0058].

With respect to Claim 19, thickness variation, including greater than 1 mil is given [0026].

Art Unit: 1732

With respect to Claims 24 and 27, energetic radiation treatments are taught, which includes visible light [0138] without limiting the duration or applications.

With respect to Claims 28-32, various quantities of SWCNM are taught which read on the claims [0041].

With respect to Claim 36, there is not teaching of creating perforations.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-12, 13-16, 18-24, 27, 32, and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noel et al. (US Patent No. 6,355,287) in view of Dupire (US Patent No. 6,331,265) and Dunn (US Patent No. 4,871,559).

With respect to Claims 1, 2, and 3 Noel teaches using a film made of a thermoplastic polymer with a free shrink of 15-60 percent using ASTM D 2732 (providing a film comprising one or more polymers wherein the film has a free shrink at 185°F in at least one of the machine or transverse directions of at least 5% [Claim 1]/20% [Claim 2]/40% [Claim 3] measured according to ASTM D 2732) and using radiation to seal the film, which shrinks to the meat (exposing the film to an amount of radiation energy effective to activate the shrink characteristic of the film) (see col. 1, lines 58-62; col. 2, lines 46-49; col. 5, lines 55-58; col. 7, lines 53-60).

Art Unit: 1732

Noel does not explicitly teach adding at least about 0.001 weight percent of single-walled carbon nanotube material based on the weight of the film.

Dupire teaches adding carbon nanotubes into a polymer mixture reinforces the polymer (see Abstract). Dupire teaches that single-wall and multi-wall carbon nanotubes are both known to be used. The quantity of the quantity of carbon nanotubes added to a given quantity of polymer is not particularly limited (at least about 0.001 weight percent of single-walled carbon nanotube material based on the weight of the film) (see col. 4, lines 32-43).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Dupire's single wall carbon nanotubes in Noel's package's film, particularly the shrinking seal layer, in order to reinforce the polymer film's seal layer (see Dupire Abstract), which would further the goal of preventing the failure of the shrink film as described by Noel (see col. 1, lines 13-54) since reinforcing the seal layer necessarily reinforces the seal.

Noel teaches heat-treating using radiation, but does not explicitly teach nonionizing radiation, but the teaching does direct those of ordinary skill in the art to use any heating treatment (see col. 5, lines 51-63).

Dunn teaches application of radiation to films with food inside (see col. 6, lines 18-32). Dunn teaches that the treatment may exclude UV portions, thus leaving the balance of the radiation (applying non-ionizing radiation) (see col. 9, lines 58-66). Dunn teaches that radiation can be applied at a dose of 0.01 to 50 J/cm² from 0.001 to 100 milliseconds (see col. 8, lines 33-53).

A - 1 I - H - 1722

Art Unit: 1732

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Dunn's non-ionizing radiation, dose, and duration in the method taught by Noel and Dupire because in accordance with Dunn's treatment, food products may be preserved in respect to microbial and/or enzymatic degrading processes, providing significant shelf-life and stability enhancements (see Dunn col. 4, lines 18-33) and because it obviates the complexities of additional safety precautions associated with ionized radiation in a production environment.

Given the application of average light power needed to structurally disrupt is present—10,000 mW/cm² (using a value from the ranges of dose and duration provided by Dunn as previously described, 1 J/cm² delivered during 100 milliseconds is (1,000 mJ)/(0.1 sec. \* cm²) = 10,000 mJ/sec/cm² = 10,000 mW/cm²), the carbon nanotubes would necessarily be structurally disrupted.

With respect to Claims 4 and 5, Dupire teaches that the shrink tension of the film is 50 to 350 p.s.i. according to ASTM 2838 (a shrink tension at 185°F of at least 100 p.s.i. [Claim 4]; at most 250 p.s.i. [Claim 5]) (see col. 2, lines 41-56).

With respect to Claims 6 and 7, Dupire teaches that the shrinking is done via application of radiation heating (see col. 5, lines 51-62) and that heat setting reduces the free shrink slightly, substantially, or completely (the exposing step; decrease by at least 10%)(see col. 8, lines 9-11). Therefore, the heating process also reduces the shrink characteristic. Moreover, Dupire clarifies the relationship between shrinking and tension is based on either being unrestrained or restrained during the shrinking activity of the film (free shrink [Claim 6], shrink tension [Claim 7]) (see col. 7, lines 41-52).

Art Unit: 1732

With respect to Claim 8 and 9, Dunn teaches application of radiation to films with food inside (see col. 6, lines 18-32). Dunn teaches that the treatment may exclude UV portions, thus leaving the balance of the radiation (applying non-ionizing radiation) (see col. 9, lines 58-66). Dunn teaches that radiation can be applied at a dose of 0.01 to 50 J/cm² (at least about 0.01mJ/cm² [Claim 8]/ 1 mJ/cm² [Claim 9]) from 0.001 to 100 milliseconds (at most 30 seconds [Claim 8]/ 10 seconds [Claim 9]) (see col. 8, lines 33-53).

With respect to Claims 10, 11, and 12, using a value from the ranges of dose and duration provided by Dunn as previously described, 1 J/cm² delivered during 100 milliseconds is (1,000 mJ)/(0.1 sec. \* cm²) = 10,000 mJ/sec/cm² = 10,000 mW/cm² (a radiation intensity of at least about 10 mW [Claim 10]/50 mW [Claim 11]/ 500 mW [Claim 12] per cm²).

With respect to Claim 13 and 14, the incorporation of Dupire's single wall carbon nanotubes into the shrinking seal layer of Noel's packaging film, as previously described, necessarily puts the SWCNM in one layer (at least one layer [Claim 13]/a shrink layer [Claim 14] comprising about 50% of the single-walled carbon nanotube material by weight of the total amount of single walled carbon nanotube material in the film) (see col. 4, lines 32-43).

With respect to Claims 15 and 16, Noel teaches that the seal layer is polyolefin or polyvinyl chloride and can be 3 mils. The film in whole can be 3 mils. Allowing for slightly less than 3 mils to accommodate the additional 2 layers, and with the carbon nanotube material being optionally minimal in content, the polyolefin would necessarily

Art Unit: 1732

be > 50% in the film weight (at least 50% of one or more polyolefins [Claim 15]/vinyl plastic [Claim 16] by weight of the film) (see Noel col. 2, lines 41-56; col. 3, lines 4-9; col. 5, lines 19-34).

With respect to Claim 18, the film has 3 layers (col. 5, lines 19-25).

With respect to Claim 19, the film can be 1.8 mils (at least about 1 mil in thickness) (see col. 2, lines 41-49).

With respect to Claim 20-23, Dunn teaches that radiation can be applied from 0.001 to 100 milliseconds (at most 30 seconds [Claim 20]/ 10 seconds [Claim 21]/ 1 second [Claim 22]/ 0.01 seconds [Claim 23]) (see col. 8, lines 33-53).

With respect to Claim 24, Dunn teaches that visible light is effective, therefore its 100% use would constitute the at least about 50% of the radiant energy (see col. 9, lines 58-66). Moreover, considering an instance of radiation as shown in Fig. 14 and that UV may be filtered as taught by Dunn, the higher energy of the visible light portion (400-700 nm) than the IR (700-1000 nm) constitutes additional examples of visible light teachings that would constitute using radiation comprising at least about 50% visible light energy.

With respect to Claim 27, Dun teaches about 1-50 pulses of light (discontinuously by at least two pulses)(see col. 10, lines 38-49).

With respect to Claims 28-32, the polymer composition taught by Dupire to make a layer is taught to be less than 50% (at least about 0.01 weight % [Claim 28]/ 0.1% [Claim 29]/ 0.5% [Claim 30]/ 1% [Claim 31]/ 5% [Claim 32] (see col. 4, lines 33-43).

Art Unit: 1732

With respect to Claim 34, given the application of average light power needed to structurally disrupt is present—10,000 mW/cm² (using a value from the ranges of dose and duration provided by Dunn as previously described, 1 J/cm² delivered during 100 milliseconds is (1,000 mJ)/(0.1 sec. \* cm²) = 10,000 mJ/sec/cm² = 10,000 mW/cm²), the carbon nanotubes would necessarily be structurally disrupted.

With respect to Claim 36, none of the three references teach that radiation as applied causes perforations, nor are they required.

Claims 37 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noel et al. (US Patent No. 6,355,287) in view of Dupire (US Patent No. 6,331,265) and Dunn (US Patent No. 4,871,559) as applied to Claim 1 above, and further in view of Havens (US Patent No. 5,110,530).

With respect to Claims 37 and 38, Noel in view of Dupire and Dunn teach making a film with SWCNM in the shrinkable seal layer as previously described, but they do not teach teaches more layers and making a striped layer in the film.

Havens teaches making a striped film of ethyl vinyl acetate by putting in a striped layer that is supported by the outer layer 16 and an inner layer 14 (discontinuous region supported by the outer layer; discontinuous regions comprise thermoplastic polymer [Claim 38]) (see col. 2, lines 5-17).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Dupire's nanotubes in a striped layer as taught by Havens in the film as taught by Noel in order to help identify the signature of the manufacturer via the distinctiveness of the packaging (see Havens abstract).

## Response to Arguments

Applicant's arguments filed 02 October 2006 have been fully considered but they are not persuasive.

Applicant argues with respect to the Double Patenting rejections. Applicant's arguments appear to be on the grounds that:

1) A Terminal Disclaimer has been filed to obviate ODP rejections over 11/142,044 and 11/208,464.

Applicant argues with respect to the 102(e) rejections. Applicant's arguments appear to be on the grounds that:

2) The affidavit under CFR 1.132 filed 13 March 2006 overcomes the 102(e) rejection over application number 10/452,892 given that MPEP 715.01(a) pertains to an example, and no inventor overlap is required, particularly all inventors of the instant application are not required to be inventors on the referenced application.

Applicant argues with respect to the 103 rejections. Applicant's arguments appear to be on the grounds that:

- 3) Neither Noel nor Dupire teach that incorporating nanotubes into a film seal layer reinforces a heat seal made with the film as Noel does not teach nanotubes and Dupire does not mention films.
- 4) Because the examiner relies upon using the carbon nanotube material to reinforce the film, it would be contrary to this motivation to apply the radiation to structurally disrupt the carbon nanotube material.

Application/Control Number: 10/749,451 Page 13

Art Unit: 1732

5) Since none of the references relied upon teach structurally disrupting at least a portion of the single-walled carbon nanotube material, the inherency of the combination is moot. Instead, the references do not recognize the result because it an unknown inherent result.

6) The Office Action fails to teach that the shrink characteristic of the film would be activated.

The Applicant's arguments are addressed as follows:

- 1) In view of the Terminal Disclaimer of application number 1<u>1</u>/142,044, the ODP rejection has been withdrawn. However, no Terminal Disclaimer of application number 11/208,464 was found in the response.
- 2) The affidavit under 37 CFR 1.132 filed 13 March 2006 is insufficient to overcome the rejection of claims 1-16, 18-24, 27-32, and 36 based upon the rejection under 35 U.S.C. 102(e) as being anticipated by Grah et al (2004/0241482) as set forth in the last Office Action because: As detailed in MPEP 715.01(a), a 102(e) rejection would be obviated if the instant application's inventive entity, S, is part of the reference application's inventive entity, S and another. Since S comprises Havens and reference application's inventive entity does not comprise Havens, then the reference application's inventive entity is not S and another. Thus, the rejection is not obviated because the reference (application number 10/452,892) is not by S and another, since it lacks a member of S (Havens).
- 3) The Examiner relies on Dupire to teach better results in polymeric material by using nanotubes (see Abstract) to overcome previous problems with nanotubes in film

Application/Control Number: 10/749,451 Page 14

Art Unit: 1732

(see col. 1, line 60 through col. 2, line 6). The Examiner equates this teaching of film by Dupire to Noel's heat/film seal.

- 4) The Examiner does not necessarily rely upon the carbon nanotube material to reinforce while being structurally disrupted. For instance, an impermeable seal is desired to keep a package sealed. However, at the point of irradiation, the desire may be to have a porous film to allow for moisture release. Regardless, these are additional motivations that would be enhanced with structural disruption rather than destroy the previous motivation.
- 5) The result of structurally disrupting carbon nanotubes would not be unexpected since it was well know at the time that the invention was made that carbon nanotubes would structurally disrupt when bombarded with energy (see "Nanotubes in a Flash Ignition and Reconstruction", Ajayan et al, Science, Vol. 296, 4-26-02, p 705 and "Electron irradiation effects in single wall carbon nanotubes", Smith et al., Journal of Applied Physics, Vol. 90, No. 7, 01 October 2001, pages 3509-3515). Ajayan teaches that the carbon nanotubes ignite and burn with applied energy (see left column, third paragraph), while Smith et al. teaches that the structural disruption is merely into a smaller diameter tubule only on surfaces of the nanotube normal to the energy (see Abstract and second paragraph of Introduction).
- 6) The examiner relies on Noel to teach using radiation to seal the film, which shrinks to the meat (exposing the film to an amount of radiation energy effective to activate the shrink characteristic of the film) (see col. 1, line 58 through col. 2, line 4; col. 7, lines 40-60). It is noted that activating the shrink characteristic does not require

Art Unit: 1732

shrinking. As explained by Noel, it may increase tension instead (see col. 7, lines 47-523).

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick Butler whose telephone number is (571) 272-8517. The examiner can normally be reached on Mo.-Th. 7:30 a.m. - 5 p.m. and alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on (571) 272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1732

Page 16

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patrick Butler Assistant Examiner Art Unit 1732

CHRISTINA JOHNSON SUPERVISORY PATENT EXAMINER